### **TITLE 16**

## STREETS AND SIDEWALKS, ETC<sup>1</sup>

### CHAPTER

1. MISCELLANEOUS.

2. EXCAVATIONS AND CUTS.

# **CHAPTER 1**

# **MISCELLANEOUS**

### SECTION

- 16-101. Obstructing streets, alleys, or sidewalks prohibited.
- 16-102. Trees projecting over streets, etc., regulated.
- 16-103. Trees, etc., obstructing view at intersections prohibited.
- 16-104. Projecting signs and awnings, etc., restricted.
- 16-105. Banners and signs across streets and alleys restricted.
- 16-106. Gates or doors opening over streets, alleys, or sidewalks prohibited.
- 16-107. Littering streets, alleys, or sidewalks prohibited.
- 16-108. Obstruction of drainage ditches.
- 16-109. Abutting occupants to keep sidewalks clean, etc.
- 16-110. Parades, etc., regulated.
- 16-111. Animals and vehicles on sidewalks.
- 16-112. Fires in streets, etc.

**16-101.** <u>**Obstructing streets, alleys, or sidewalks prohibited**</u>. No person shall use or occupy any portion of any public street, alley, sidewalk, or right-of-way for the purpose of storing, selling, or exhibiting any goods, wares, merchandise, or materials. (1973 Code, § 12-201)

**16-102.** <u>**Trees projecting over streets, etc., regulated**</u>. It shall be unlawful for any property owner or occupant to allow any limbs of trees on his property to project out over any street, alley or sidewalk at a height of less than fourteen feet (14'). (1973 Code, § 12-202)

**16-103.** <u>**Trees, etc., obstructing view at intersections prohibited**</u>. It shall be unlawful for any property owner or occupant to have or maintain on his property any tree, shrub, sign, or other obstruction which prevents persons

Related motor vehicle and traffic regulations: title 15.

<sup>&</sup>lt;sup>1</sup>Municipal code reference

driving vehicles on public streets or alleys from obtaining a clear view of traffic when approaching an intersection. (1973 Code, § 12-203)

**16-104.** <u>Projecting signs and awnings, etc., restricted</u>. Signs, awnings, or other structures which project over any street or other public way shall be erected subject to the requirements of the building code and zoning regulations.<sup>1</sup> (1973 Code, § 12-204)

**16-105.** <u>Banners and signs across streets and alleys restricted</u>. It shall be unlawful for any person to place or have placed any banner or sign across or above any public street or alley except when expressly authorized by the board of mayor and aldermen after a finding that no hazard will be created by such banner or sign. (1973 Code, § 12-205)

**16-106.** <u>Gates or doors opening over streets, alleys, or sidewalks</u> <u>prohibited</u>. It shall be unlawful for any person owning or occupying property to allow any gate or door to swing open upon or over any street, alley, or sidewalk except when required by statute. (1973 Code, § 12-206)

**16-107.** <u>Littering streets, alleys, or sidewalks prohibited</u>. It shall be unlawful for any person to litter, place, throw, track, or allow to fall on any street, alley, or sidewalk any refuse, glass, tacks, mud, or other objects or materials which are unsightly or which obstruct or tend to limit or interfere with the use of such public ways and places for their intended purposes. (1973 Code, § 12-207)

**16-108.** <u>**Obstruction of drainage ditches**</u>. It shall be unlawful for any person to permit or cause the obstruction of any drainage ditch in any public right-of-way. Prior to installation or replacement of drain tiles for driveways attaching to the public streets of the City of Lafayette, Tennessee, the approval for the installation and type of tile shall be obtained from the director of public works for the City of Lafayette, Tennessee.

From and after October 2, 2018, all drain tiles utilized in the construction of new driveways, or reconstruction of existing driveways, shall be not less than fifteen inches (15") in diameter. The director of public works, may require a drain tile to exceed fifteen inches (15") in diameter. All drainage tiles utilized in the construction of new driveways, or used in the reconstruction of existing driveways shall be not less than fifteen feet (15') in length or longer if required by the director of public works. The drainage tile shall be provided at the expense of the property owner. Installation and one (1) load of gravel may be

<sup>&</sup>lt;sup>1</sup>Municipal code reference

Building code: title 12, chapter 1.

provided by the city; and shall be under the direction of the public works or the street department. This section does not apply to subdivisions currently under construction, or future subdivision development. (1973 Code, § 12-208, as amended by Ord. #731, Oct. 2018 *Ch3\_03-05-19*)

**16-109.** <u>Abutting occupants to keep sidewalks clean, etc</u>. The occupants of property abutting on a sidewalk are required to keep the sidewalk clean. Also, immediately after a snow or sleet, such occupants are required to remove all accumulated snow and ice from the abutting sidewalk. (1973 Code, § 12-209)

16-110. <u>Parades, etc., regulated</u>. It shall be unlawful for any club, organization, or similar group to hold any meeting, parade, demonstration, or exhibition on the public streets without some responsible representative first securing a permit from the recorder. No permit shall be issued by the recorder unless such activity will not unreasonably interfere with traffic and unless such representative shall agree to see to the immediate cleaning up of all litter which shall be left on the streets as a result of the activity. Furthermore, it shall be unlawful for any person obtaining such a permit to fail to carry out his agreement to clean up the resulting litter immediately. (1973 Code, § 12-210)

**16-111.** <u>Animals and vehicles on sidewalks</u>. It shall be unlawful for any person to ride, lead, or tie any animal, or ride, push, pull, or place any vehicle across or upon any sidewalk in such manner as to unreasonably interfere with or inconvenience pedestrians using the sidewalk. It shall also be unlawful for any person knowingly to allow any minor under his control to violate this section. (1973 Code, § 12-211)

**16-112.** <u>Fires in streets, etc</u>. It shall be unlawful for any person to set or contribute to any fire in any public street, alley, or sidewalk. (1973 Code,  $\S$  12-212)

#### **CHAPTER 2**

### EXCAVATIONS AND CUTS

#### SECTION

- 16-201. Permit required.
- 16-202. Applications.
- 16-203. Fee.
- 16-204. Deposit or bond.
- 16-205. Manner of excavating--barricades and lights--temporary sidewalks.
- 16-206. Restoration of streets, etc.
- 16-207. Insurance.
- 16-208. Time limits.
- 16-209. Supervision.
- 16-210. Driveway curb cuts.

**16-201.** <u>Permit required</u>. It shall be unlawful for any person, firm, corporation, association, or others, to make any excavation in any street, alley, or public place, or to tunnel under any street, alley, or public place without having first obtained a permit as herein required, and without complying with the provisions of this chapter; and it shall also be unlawful to violate, or vary from, the terms of any such permit; provided, however, any person maintaining pipes, lines, or other underground facilities in or under the surface of any street may proceed with an opening without a permit when emergency circumstances demand the work to be done immediately and a permit cannot reasonably and practicably be obtained beforehand. The person shall thereafter apply for a permit on the first regular business day on which the office of the recorder is open for business, and said permit shall be retroactive to the date when the work was begun. (1973 Code, § 12-101)

16-202. <u>Applications</u>. Applications for such permits shall be made to the recorder, or such person as he may designate to receive such applications, and shall state thereon the location of the intended excavation or tunnel, the size thereof, the purpose thereof, the person, firm, corporation, association, or others doing the actual excavating, the name of the person, firm, corporation, association, or others for whom the work is being done, and shall contain an agreement that the applicant will comply with all ordinances and laws relating to the work to be done. Such application shall be rejected or approved by the recorder within twenty-four (24) hours of its filing. (1973 Code, § 12-102)

**16-203.** <u>Fee</u>. The fee for such permits shall be two dollars (\$2.00) for excavations which do not exceed twenty-five (25) square feet in area or tunnels not exceeding twenty-five feet (25') in length; and twenty-five cents (\$0.25) for each additional square foot in the case of excavations, or lineal foot in the case

of tunnels; but not to exceed one hundred dollars (\$100.00) for any permit. (1973 Code, § 12-103)

16-204. <u>Deposit or bond</u>. No such permit shall be issued unless and until the applicant therefor has deposited with the recorder a cash deposit. The deposit shall be in the sum of twenty-five dollars (\$25.00) if no pavement is involved or seventy-five dollars (\$75.00) if the excavation is in a paved area and shall insure the proper restoration of the ground and laying of the pavement, if any. Where the amount of the deposit is clearly inadequate to cover the cost of restoration, the mayor may increase the amount of the deposit to an amount considered by him to be adequate to cover the cost. From this deposit shall be deducted the expense to the city of relaying the surface of the ground or pavement, and of making the refill if this is done by the city or at its expense. The balance shall be returned to the applicant without interest after the tunnel or excavation is completely refilled and the surface or pavement is restored.

In lieu of a deposit the applicant may deposit with the recorder a surety bond in such form and amount as the recorder shall deem adequate to cover the costs to the city if the applicant fails to make proper restoration. (1973 Code, § 12-104)

**16-205.** <u>Manner of excavating--barricades and lights--temporary</u> <u>sidewalks</u>. Any person, firm, corporation, association, or others making any excavation or tunnel shall do so according to the terms and conditions of the application and permit authorizing the work to be done. Sufficient and proper barricades and lights shall be maintained to protect persons and property from injury by or because of the excavation being made. If any sidewalk is blocked by any such work, a temporary sidewalk shall be constructed and provided which shall be safe for travel and convenient for users. (1973 Code, § 12-105)

16-206. <u>Restoration of streets, etc</u>. Any person, firm, corporation, association, or others making any excavation or tunnel in or under any street, alley, or public place in this municipality shall restore said street, alley, or public place to its original condition. In case of unreasonable delay in restoring the street, alley, or public place, the recorder shall give notice to the person, firm, corporation, association, or others that unless the excavation or tunnel is refilled properly within a specified reasonable period of time, the municipality will do the work and charge the expense of doing the same to such person, firm, corporation, association, or others. If within the specified time the conditions of the above notice have not been complied with, the work shall be done by the municipality, but shall be paid for by such person, firm, corporation, association, or others promptly upon the completion of the work for which excavation or tunnel was made. An accurate account of the expense involved shall be kept, and the total cost shall be charged to the person, firm, corporation, association, or

others who made the excavation or tunnel. (1973 Code, § 12-106, as amended by Ord. #595, May 2011)

**16-207.** Insurance. In addition to making the deposit or giving the bond hereinbefore required to insure that proper restoration is made, each person applying for an excavation permit shall file a certificate of insurance indicating that he is insured against claims for damages for personal injury as well as against claims for property damage which may arise from or out of the performance of the work, whether such performance be by himself, his subcontractor, or anyone directly or indirectly employed by him. Such insurance shall cover collapse, explosive hazards, and underground work by equipment on the street, and shall include protection against liability arising from completed operations. The amount of the insurance shall be prescribed by the recorder in accordance with the nature of the risk involved; provided, however, that the liability insurance shall not be less than three hundred thousand dollars (\$300,000.00) for bodily injury or death of any one (1) person in any one (1) accident, occurrence or act, and not less than seven hundred thousand dollars (\$700,000.00) for bodily injury or death of all persons in any one (1) accident, occurrence or act, and one hundred thousand dollars (\$100,000.00) for injury or destruction of property of others in any one (1) accident, occurrence, or act.

**16-208.** <u>**Time limits</u>**. Each application for a permit shall state the length of time it is estimated will elapse from the commencement of the work until the restoration of the surface of the ground or pavement, or until the refill is made ready for the pavement to be put on by the city if the city restores such surface pavement. It shall be unlawful to fail to comply with this time limitation unless permission for an extension of time is granted by the recorder. (1973 Code, § 12-108)</u>

**16-209.** <u>Supervision</u>. The street department personnel shall from time to time inspect all excavations and tunnels being made in or under any public street, alley, or other public place in the city and see to the enforcement of the provisions of this chapter. Notice shall be given to him at least ten (10) hours before the work of refilling any such excavation or tunnel commences. (1973 Code, § 12-109, as amended by Ord. #595, May 2011)

16-210. <u>Driveway curb cuts</u>. No one shall cut, build, or maintain a driveway across a curb or sidewalk without first obtaining a permit from the recorder. Such a permit will not be issued when the contemplated driveway is to be so located or constructed as to create an unreasonable hazard to pedestrian and/or vehicular traffic. No driveway shall exceed thirty-five feet (35') in width at its outer or street edge and when two (2) or more adjoining driveways are provided for the same property a safety island of not less than ten feet (10') in

width at its outer or street edge shall be provided. Driveway aprons shall not extend out into the street. (1973 Code, § 12-110)