

Tennessee Department of Environment and Conservation  
 Division of Water Pollution Control  
 401 Church Street  
 L&C Annex, Sixth Floor  
 Nashville, Tennessee 37243-1534  
 (615) 532-0625

**Public Hearing Notice No. PH 10-017**

NOTICE IS HEREBY GIVEN, the Division of Water Pollution Control will hold public hearings, pursuant to Rule 1200-4-5-.06, at the following locations:

Date	City	Location	Time
October 27, 2010	Nashville, TN 37243	401 Church Street 17 <sup>th</sup> Floor L&C Tower Conference Room 17 "B"	12:00 P.M. Central Time
November 10, 2010	Chattanooga, TN 37402	Chattanooga EFO Auditorium 540 McCallie Avenue	12:00 P.M. Eastern Time
November 17, 2010	Knoxville, TN 37921	3711 Middlebrook Pike	12:00 P.M. Eastern Time
December 1, 2010	Jackson, TN 38305	1625 Hollywood Drive	12:00 P.M. Central Time
December 8, 2010	Bartlett, TN 38134	Bartlett Station Municipal Center 5868 Stage Road	12:00 P.M. Central Time

Public comments will be received concerning the draft General NPDES Permit for Storm Water Discharges Associated with Construction Activities (TNR100000). Operators of construction sites involving clearing, grading or excavation that result in an area of disturbance of one or more acres, and activities that result in the disturbance of less than one acre if it is part of a larger common plan of development or sale need to have coverage under this general permit. Permitted activities have included housing subdivisions, commercial and industrial buildings, golf courses, utility lines, sewage treatment plants, and roads. Various land clearing activities such as borrow pits for fill material have also been covered under this general permit.

For more information on the proposed permit contact Mr. Vojin Janjic at (615) 532-0670 or the Nashville Central Office at (615) 532-0625. Individuals desiring to comment on this permit issuance or proposed conditions should submit written comments to the address above, to the attention of Mr. Vojin Janjic. Comments should be received within 30 days from the Legal Notice and should include the NPDES Number.

The hearing officer may limit the length of oral presentation in order to allow parties an opportunity to speak, and will require that all testimony be relevant to water quality issues. Written testimony will be accepted at the hearing, for ten working days following the hearing, and will be considered part of the hearing record.